


Proxy Server Instructions

For Firefox (Mac)


December 2015





Step 1: Go to the Firefox menu at top of page

- From pull-down menu, select Preferences



Step 2: Select the Advanced Tab on the left

- Click on the Network menu at the top
- Click on the Settings box in the Connection menu

Configure Proxies to Access the Internet

No proxy
 Auto-detect proxy settings for this network
 Use system proxy settings

Manual proxy configuration:

HTTP Proxy: proxy.brooklaw.edu Port: 3128
 Use this proxy server for all protocols

SSL Proxy: proxy.brooklaw.edu Port: 3128
FTP Proxy: proxy.brooklaw.edu Port: 3128
SOCKS Host: proxy.brooklaw.edu Port: 3128

SOCKS v4 SOCKS v5 Remote DNS

No Proxy for:
localhost, 127.0.0.1

Example: .mozilla.org, .net.nz, 192.168.1.0/24


Automatic proxy configuration URL:
[] Reload

Do not prompt for authentication if password is saved

[?] Cancel OK

Step 3: Uncheck the radial button next to “Use system proxy settings”

- Then check the radial button next to “Manual proxy configuration”
- In the HTTP Proxy field, enter: **proxy.brooklaw.edu** and in Port, enter **3128**
- Check the box that says “Use the proxy server for all protocols”
- Click **OK**



Step 4: Open a new window or tab in your browser

- The box pictured above should appear if proxy was implemented properly
- Enter your BLS Username and Password in the proper locations
- Click OK – you should now be able to access protected databases remotely from this browser

Questions?

Contact the Brooklyn Law School IT Department

Email: support@brooklaw.edu

Phone: 718-780-7507

